


MYRA

ottoman[®]
by enesco



MYRA 100 04
TILES 25X100 CM






MYRA 100 06
PLANK 100X25 CM
TILES 50X50 CM



MYRA 100 07
TILES 50X50 CM





MYRA 100 07
TILES 50X50 CM



Every individual has his own style, his own way of presenting himself on and off the field.




MYRA 200 04
TILES 50X50 CM




MYRA 200 06
TILES 50X50 CM



MYRA 200 7
PLANK 100X25 CM





MYRA 200 09
PLANK 100X25 CM




MYRA 300 04
PLANK 100X25 CM






MYRA 300 06
PLANK 100X25 CM



MYRA 300 07
PLANK 100X25 CM



MYRA 300 7
PLANK 100X25 CM
TILES 50X50 CM







MYRA 100 09 50x50 cm
MYRA 200 09 50x50 cm




MYRA 100 09 50x50 cm
MYRA 200 09 50x50 cm



MYRA 200 09 25x100
MYRA 300 06 25X100
MYRA 300 09 50X50




MYRA 100 04 25x100
MYRA 200 06 25X100
MYRA 300 09 50X50












MYRA 100 - 04
MYRA 300 - 06
MYRA 300 - 07



MYRA 100 - 06
MYRA 200 - 06




MYRA 100 - 06
MYRA 200 - 06




Specifications

Style Name:	MYRA 100 MYRA 200 MYRA 300 Multi-
Construction:	level Loop
Fiber:	Nylon
Gauge:	1/12"
Stitches:	11 per inch
Average Pile Height:	4.0m ± 0.5mm
Backing:	EcoAce-Bac ®
Tile size:	50cm*50cm 25cm*100cm
Area of Use:	Commercial - Heavy Duty
Antimicrobial:	Ultra-Fresh Treatment (Available)
Flammability:	ASTM E 648 Class I, GB8624-2012 B1(C)
Smoke Density:	ASTM E 662 Less than 450, GB/T
Static Propensity:	8627-1999 AATCC-134 ≤3.5kV, GB/T 18044-2008



Herringbone



Ashlar



Ultra-Fresh is a registered trademark of Thomson Research Associates, Inc.