






Embos




Narrow Strip




Wide Strip








Model 1 - Embos





Model 2- Wide Strip



Deck 140/26 Standard Sizes

Width 140 mm Size 4000 mm Thickness 26 mm



Deck 140/22 Standard Sizes

Width 140 mm Size 4000 mm Thickness 22 mm Both surfaces are suitable for use.

This allows you to replace the old surface with the substrate and use it as a new surface.

It both saves the cost of renewal and adds innovation to your space.





TropicBrown



Antracite



Hazelnut Brown




Stone Grey



Ivory White






TropicBrown



Antracite



Hazelnut Brown



Stone Grey







TropicBrown



Antracite



Hazelnut Brown



Stone Grey




Ivory White


























Deck 140/26 Standard Sizes

Width 140 mm Size 4000 mm Thickness 26 mm




Deck 140/22 Standard Sizes

Width 140 mm Size 4000 mm Thickness 22mm



Corner Deck 140/26 Standard Sizes

Width 140 mm Size 4000 mm Thickness 26 mm





Composite deck systems offer the warmth of wood and the durability of the polymer. The service life of wood applied outdoors is very limited. You have to care for your wooden floor covering twice a year with varnish and other chemical preservatives. Over time, the screw ends come out, moisture makes the wood surface slippery. Not only the initial cost of wood, but also high maintenance costs in the long run create problems for you. Against all these problems, our composite deck systems are the ideal solution you are looking for.

The flooring you need in both landscape areas and pool sides should be durable, safe and long-lasting.

HIDDEN CLIP SYSTEM, VERY EASY TO USE


Whether it is stainless steel or plastic, composite decking applications are a solid, fast, practical and ideal solution thanks to the hidden clip system. This system also allows you to change the profile you want without any damage.

NON-SLIP SURFACE

Composite deck systems that we produce with high quality wood particles and special surface treatments provide a safe and non-slip surface on terraces, poolsides, marinas and all wet places.







RESISTANT AGAINST OUTDOOR WEATHER CONDITIONS

It is resistant to all weather conditions. Deck profiles maintain their physical properties without causing any problems even in sudden temperature changes. It is not affected by water, humidity and humidity.

ENVIRONMENTALLY SENSITIVE


In our world where environmental awareness is increasing day by day, wood composite stands out as the most nature-friendly solution for outdoor landscape and facade applications. Our company is an excellent wood composite product that combines advanced and innovative production technology with efficiency, environmental compatibility and high quality. Tropical tree species used in outdoor applications cause inefficient and excessive natural resource consumption. Deck profiles, which the wood industry converts into a value-added product by using their waste, are 100% recyclable materials.













AF Com Center, Samed Vurgun Küçesi No.60 Nesimi BAKU AZ1014 AZERBAYCAN +994 12 5966030 +994 50 2503366 info@ottoman.az

www.ottoman.az

F.S.M Mahallesi. Yeşil Vadi Konakları F/61 Ümraniye / İstanbul 34771 TÜRKİYE +90 216 6502250 +90 541 3777671 info@enesco.com.tr

www.enesco.com.tr