

ottoman[®]
BY ENESCO



CITY LIFE

COLLECTIONS

■ **PRINTED CONTRACT CARPET**





river-49



river-12



river-36



river-40



river-74

River

ROLL CARPET SPECIFICATIONS :
construction : cut pile
fiber : PA
pile height : 7.5 ± 0.5 mm
total thickness : 8.5 ± 0.5 mm
pile weight : 1000 gr/m²
total weight : 1800 gr/m²
roll size : 4.00mt
backing : flextexplus actionback

ENIMENS

MATADOR







Enimens

ROLL CARPET SPECIFICATIONS :
construction : cut pile
fiber : PA
pile height : 5.3±0.5 mm
total thickness : 7.8±0.5mm
pile weight : 1000 gr/m2
total weight : 1800 gr/m2
roll size : 4.00mt
backing : flextex plus actionbac



Matador

ROLL CARPET SPECIFICATIONS :
construction : cut pile
fiber : PA
pile height : 7.5±0.5 mm
total thickness : 8.5±0.5mm
pile weight : 1000 gr/m2
total weight : 1800 gr/m2
roll size : 4.00mt
backing : flextex plus actionback



enimens-49

enimens-79

enimens-98

matador-32

matador-11

matador-19




Emporium


ROLL CARPET SPECIFICATIONS :
construction : cut pile
fiber : PA
pile height : 5.3 ± 0.5 mm
total thickness : 7.8 ± 0.5 mm
pile weight : 800 gr/m²
total weight : 1800 gr/m²
roll size : 4.00mt
backing : flextex plus actionbac



emporium-38



emporium-49



emporium-97

PRINTED CARPET MIX



select-7




select-8




select-19



select-1487




select-7070



labirent-217



saphire-452



sateen-402



sateen-203

SAXONY CARPET



PRINTED CONTRACT CARPET

KONTRAT HALI TEKNİK ÖZELLİKLERİ / CONTRACT CARPETS TECHNICAL SPECIFICATIONS

KALİTE İSMİ COMMERCIAL NAME	SAXONY-800 PA 6	SAXONY-1000 PA 6	SAXONY-1200 PA 6	SAXONY-1400 PA 6	SAXONY-800 PA 6.6	SAXONY-1000 PA 6.6	SAXONY-1200 PA 6.6	SAXONY-1400 PA 6.6	WOOL / PA-1200 (% 80 / 20)	WOOL / PA-1400 (% 80 / 20)	WOOL / PA-1600 (% 80 / 20)	WOOL / PA-1800 (% 80 / 20)	SCROLL-1200 TIP SHEARED PA 6.6	VELUR-500 PA 6	VELUR-700 PA 6	
ÜRETİM METODU MANUFACTURING PROCESS	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE	PRINTED TUFTING CUT PILE
HAV İPLİĞİ TYPE OF THE YARN	Polyamide 6	Polyamide 6	Polyamide 6	Polyamide 6	Polyamide 6.6	Polyamide 6.6	Polyamide 6.6	Polyamide 6.6	%80 Wool %20 Polyamide	%80 Wool %20 Polyamide	%80 Wool %20 Polyamide	%80 Wool %20 Polyamide	Polyamide 6.6	Polyamide 6	Polyamide 6	
İĞNE ARALIĞI GAUGE	1/10 Inch	1/10 Inch	1/10 Inch	1/10 Inch	1/10 Inch	1/10 Inch	1/10 Inch	1/10 Inch	1/8 Inch	1/8 Inch	1/8 Inch	1/8 Inch	1/10 Inch	1/10 Inch	1/10 Inch	
YÜZEY KORUYUCU SOIL & STAIN RESISTANCE	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
ALEV ALMAZLIK TESTİ FLAMMABILITY TEST	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	Geçti (Passed)	
HAV YÜKSEKLİĞİ (mm) (± 1) PILE HEIGHT (mm) (± 1)	5 mm	5,5 mm	6 mm	6,5 mm	5 mm	5,5 mm	6 mm	6,5 mm	6,5 mm	7 mm	7,5 mm	8 mm	6,5 mm - 5 mm	6 mm	7,5 mm	
TOPLAM YÜKSEKLİK (mm) (± 1) TOTAL HEIGHT (mm) (± 1)	8,5 mm	9 mm	9,5 mm	10 mm	8,5 mm	9 mm	9,5 mm	10 mm	10 mm	10,5 mm	11 mm	11,5 mm	10 mm	9,5 mm	11 mm	
HAV AĞIRLIĞI (gr/m2) (± %5) PILE WEIGHT (gr/m2) (± %5)	800 gr/m ²	1.000 gr/m ²	1.200 gr/m ²	1.400 gr/m ²	800 gr/m ²	1.000 gr/m ²	1.200 gr/m ²	1.400 gr/m ²	1.200 gr/m ²	1.400 gr/m ²	1.600 gr/m ²	1.800 gr/m ²	1.200 gr/m ²	500 gr/m ²	700 gr/m ²	
TOPLAM AĞIRLIK (gr / m2) (± %5) TOTAL WEIGHT (gr / m2) (± %5)	2.000 gr/m ²	2.200 gr/m ²	2.400 gr/m ²	2.600 gr/m ²	2.000 gr/m ²	2.200 gr/m ²	2.400 gr/m ²	2.600 gr/m ²	2.400 gr/m ²	2.600 gr/m ²	2.800 gr/m ²	3.000 gr/m ²	2.400 gr/m ²	1.700 gr/m ²	1.900 gr/m ²	
DOKUMA SIKLIĞI (İlmeK / 10 cm) STITCH PER 10 cm	43 / 10 cm	49 / 10 cm	56 / 10 cm	59 / 10 cm	48 / 10 cm	56 / 10 cm	64 / 10 cm	70 / 10 cm	38 / 10 cm	42 / 10 cm	46 / 10 cm	50 / 10 cm	48 / 10 cm	58 / 10 cm	68 / 10 cm	
İLMEK ADEDİ (İlmeK / m2) TUFTS PER SQM	169.420	193.060	220.640	232.460	189.120	220.640	252.160	275.800	119.700	129.150	144.900	157.500	189.120	228.520	267.920	
BİRİNCİ TABAN PRIMARY BACKING	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	WOVEN PP	
İKİNCİ TABAN SECONDARY BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	KEÇE TABAN FELT BACKING	
BİTMİŞ ÜRÜN ENİ (metre) FINISH WIDTH (meter)	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	4,00	
CLASSIFICATION OF REACTION TO FIRE (EN 13501-1:2007)	Bfl-S1	Bfl-S1	Cfl-S1	Cfl-S1	Bfl-S1	Bfl-S1	Cfl-S1	Cfl-S1	Cfl-S1	Cfl-S1	Cfl-S1	Cfl-S1	Bfl-S1	Cfl-S1	Cfl-S1	
CERTIFICATE OF CONFORMITY	0493-CPD-75	0493-CPD-75	0493-CPD-76	0493-CPD-76	0493-CPD-75	0493-CPD-75	0493-CPD-76	0493-CPD-76	0493-CPD-74	0493-CPD-74	0493-CPD-74	0493-CPD-74	0493-CPD-75	0493-CPD-76	0493-CPD-76	

ÜRÜN SEÇİM KRİTERLERİ / PRODUCT SELECTION CRITERIA

KULLANIM ALANLARI EXAMPLE AREAS	SAXONY-800 PA 6	SAXONY-1000 PA 6	SAXONY-1200 PA 6	SAXONY-1400 PA 6	SAXONY-800 PA 6.6	SAXONY-1000 PA 6.6	SAXONY-1200 PA 6.6	SAXONY-1400 PA 6.6	WOOL / PA-1200 (% 80 / 20)	WOOL / PA-1400 (% 80 / 20)	WOOL / PA-1600 (% 80 / 20)	WOOL / PA-1800 (% 80 / 20)	SCROLL-1200 TIP SHEARED PA 6.6	VELUR-500 PA 6	VELUR-700 PA 6
OTEL ODASI HOTEL ROOMS	1	2	3	4	1	2	3	4	1	2	3	4	1	1	1
KORİDORLAR CORRIDORS		2	3	4		2	3	4	1	2	3	4	1		
MERDİVENLER STAIRS		1	2	3		1	2	3	1	2	3	4	1		
OFİSLER OFFICES	1	2	3	4	1	2	3	4	1	2	3	4	1	1	1
YEMEK SALONLARI RESTAURANTS		1	2	3		1	2	3	1	2	3	4	1		
KONFERANS - BALO SALONLARI CONFERENCE - BALL ROOMS	1	2	3	4	1	2	3	4	1	2	3	4	1		
TİYATRO - SİNEMA SALONLARI THEATRES - CINEMAS	1	2	3	4	1	2	3	4	1	2	3	4	1		1
MAĞAZALAR SHOPS	1	2	3	4	1	2	3	4	1	2	3	4	1		

DERECELENDİRME GRADING

1	2	3
Standart Performans Standard Performance	Orta Performans Medium Performance	Yüksek Performans High Performance

■ **CITY LIFE** COLLECTIONS
PRINTED CONTRACT CARPET



ottoman®
BY **ENESCO**

Add: Samed Vurgun Kucesi, no: 60, Nesimi / Baku, AZ1014, Azerbaijan
Tel: +994 (12) 596 6030 Mob: +994 (50) 250 3366
Mail: info@ottoman.az

Add: F.S.M.Mah., Y.V.Konaklari, F/61, Umraniye / Istanbul, 34771, Türkiye
Tel: +90 (216) 650 2250 Fax: +90 (216) 650 2254
Mail: info@enesco.com.tr



www.ottoman.az



+994 12 596 6030



+994 50 250 3366