

SCANDIX COLLECTION




ottoman[®]
BY enesco



Scandix-al 100 Polar Night
Herringbone

Scandix-mo 100 Matte
Black Ashlar

Beyonce Stones B-02 |
LVT Ashlar



Scandix-mo 200 Kendall
Charcoal Ashlar



Scandix-aa 400 Monsoon
Scandix-al 400 Monsoon
Scandix-mo 400 Heathered
Grey Herringbone



Scandix-aa 900 Oak
Wood Scandix-mo
900 Finansiel
Herringbone



Scandix-aa 900 Oak
Wood Scandix-al 900
Oak Wood Scandix-mo
900 Finansiell
Herringbone



Scandix-aa 700 Pine
Cone Scandix-mo 700
Kraftpaper Ashlar



Scandix-aa 500 Mountain Mist
Scandix-al 500 Mountain Mist M
olde 500 Grey suit Herringbone



Scandix-aa 600 Cloudy
Scandix-al 600 Cloudy
Herringbone

Scandix-aa Colors



100 Polar Night 200 Skandi 300 Fjord 400 Monsoon 500 Mountain Mist 600 Cloudy 700 Pine Cone 800 Pinus 900 Oak Wood

Scandix-al Colors



100 Polar Night 200 Skandi 300 Fjord 400 Monsoon 500 Mountain Mist 600 Cloudy 700 Pine Cone 800 Pinus 900 Oak Wood


Scandix-mo Colors




100 Matte Black 200 Kendall Charcoal 300 Stone Wall 400 Heathered Grey 500 Grey suit 600 Shady Lady 700 Kraftpaper 800 Flax 900 Finansiell

Specifications


Style Name:	Scandix-mo/Scandix-aa/Scandix-al
Construction:	Tufted Cut and Loop
Fiber:	Nylon
Gauge:	1/10"
Stitches:	10 per inch
Average Pile Height:	4.0 mm ± 0.5 mm
Pile Weight:	26 oz/yd²
Backing:	EcoAce-Bac ®
Tile size:	25 cm * 100 cm
Area of Use:	Commercial - General Duty
Antimicrobial:	Ultra-Fresh Treatment (Available)
Flammability:	ASTM E 648 Class I, GB8624-2012 B1(C)
Smoke Density:	ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity:	AATCC-134 ≤3.5kV, GB/T 18044-2008



Herringbone



Ashlar



Ultra-Fresh is a registered trademark of Thomson Research Associates, Inc.