


Sport Pvc




1070 yellow



0770 orange



2070 red




5030 green



5040 royal blue



2040 sky blue



3040 green



7601 maple



Sportage Standart :

Total thickness : 4,30 mm
Wear layer thickness : 0,60 mm
Roll size : 2,00x 20,00 mt

Sportage Classic :

Total thickness : 6,00 mm
Wear layer thickness : 1,00 mm
Roll size : 2,00x 20,00 mt

Crossel & Corte



yellow



orange




red




green



royal blue



sky blue



grey



maple



oak



Crossel :

Total thickness : 4,00 mm
Wear layer thickness : 0,70 mm
Total weight : 3000 g/m²
Roll size : 2,00x 20,00 mt
Reaction to fire : Bfl-s1

Corte :

Total thickness : 9,00 mm
Wear layer thickness : 0,70 mm
Total weight : 3500 g/m²
Roll size : 2,00x 20,00 mt
Reaction to fire : Cfl-s1



AF Com Center, Samed Vurgun Küçesi No.60 Nesimi
BAKU AZ1014 AZERBAIJAN
+994 12 5966030 +994 50 2503366
info@ottoman.az

www.ottoman.az

E.F.S.M Mahallesi. Yeşil Vadi Konakları F/61
Ümraniye / İstanbul 34771 TÜRKİYE
+90 216 6502250 +90 541 3777671
info@enesco.com.tr

www.enesco.com.tr